

Bloop

HEMORRHOID RELIEF

This labeling information about Bloop products is the most current and may differ from the labels on the product packaging. If there are any differences between this website's labeling and the labeling on the product packaging, consider the website labeling as the most up-to-date.

Drug Facts

Active ingredient

	Purpose
Glycerin 14.4%.....	Protectant
Petrolatum 15%.....	Protectant
Phenylephrine HCl 0.25%.....	Vasoconstrictor
Pramoxine HCl 1%.....	Topical anesthetic

Uses • helps relieve the pain, itching and burning associated with hemorrhoids and other anorectal disorders • temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful from irritation and abrasion during bowel movement • temporarily shrinks hemorrhoidal tissue

Warnings

For external and/or intrarectal use only (skin of the perianal area and anal canal)

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • presently taking a prescription drug for high blood pressure or depression

When using this product • avoid contact with eyes • do not exceed recommended dosage unless directed by a doctor • do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if • rectal bleeding occurs • condition worsens or does not improve within seven (7) days • allergic reaction occurs to ingredients in this product • symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • gently dry by patting or blotting with toilet tissue or soft cloth before applying

• carefully apply medication to the perianal skin and anal canal with a clean finger • adults and children 12 years and older: apply externally to the affected area up to 4 times daily, especially at night, in morning or after bowel movement • children under 12 years of age consult your pediatrician

Other information • store between 15°-30°C (59°-86°F)

Inactive ingredients benzyl alcohol, carapa guianensis seed oil, cetearyl alcohol, cetyl alcohol, copaifera officinalis (balsam copaiba) resin, disodium EDTA, ethylhexylglycerin, glyceryl stearate SE, mineral oil, propanediol, steareth-21, stearyl alcohol, tocopherol, water